

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17318	((717/115-125) or (709/205,224) or (719/320) or (714/33,38,43-47, 712) or (700/1,100) or (702/183, 186) or (707/102)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:34
S1	0	(@ad<="20010404" or @rlad<="20010404") and (rule same script) and ((synchroni\$6 near5 event) same (receipt and transmi\$6)) and (supervis\$6 same (collect (output near4 log\$4) test evaluat\$4)) and ((notif\$5 inform\$4 broadcas\$4) near5 event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 13:39
S2	8	(@ad<="20010404" or @rlad<="20010404") and (rule same script) and (supervis\$6 same (collect (output near4 log\$4) test evaluat\$4)) and ((notif\$5 inform\$4 broadcas\$4) near5 event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 13:36
S3	399	(@ad<="20010404" or @rlad<="20010404") and ((synchroni\$6 near5 (message event)) same (receipt and transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 09:43
S4	0	(@ad<="20010404" or @rlad<="20010404") and (rule same script) and (supervis\$6 same (collect (output near4 log\$4) test evaluat\$4)) and ((asses\$4 pars\$4 evaluat\$4) near6 (receipt and transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 13:38
S5	0	(@ad<="20010404" or @rlad<="20010404") and (rule same script) and ((asses\$4 pars\$4 evaluat\$4) near6 (receipt and transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 13:38
S6	175	(@ad<="20010404" or @rlad<="20010404") and ((asses\$4 pars\$4 evaluat\$4) near6 (receipt and transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 13:38
S7	38	(@ad<="20010404" or @rlad<="20010404") and (rule-based same script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:40

S8	1718	(@ad<="20010404" or @rlad<="20010404") and (synchronization adj2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 13:40
S9	69	(@ad<="20010404" or @rlad<="20010404") and (rule same (select\$4 near5 command)) and script	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 13:41
S10	1	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 13:41
S11	12	S8 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 14:16
S12	1	(Winrunner (rendezvous adj point)) and (multi-station near8 (test synchroniz\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 14:18
S13	1	((rendezvous synchroni\$6) adj point)) and (multi-station near8 (test synchroniz\$5 ((process application) near4 link\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 14:20
S14	1	((rendezvous synchroni\$6) adj point)) and (multi-station same (test synchroniz\$5 ((process application) near4 link\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 14:20
S15	1	(S2 or S3 or S8 or S6 or S7) and (multi-station same (test synchroniz\$5 ((process application) near4 link\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 14:21
S16	1034	(S2 or S3 or S8 or S6 or S7) and ((node station user machine) same (test synchroniz\$5 ((process application) near4 link\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:38
S17	1151	"16" and ((integrated distributed regressive) near5 test) and ((multiple plurality number) adj2 (user station node machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:40

S18	8	(@ad<="20010404" or @rlad<="20010404") and (rule same script) and (supervis\$6 same (collect (output near4 log\$4) test evaluat\$4)) and ((notif\$5 inform\$4 broadcas\$4) near5 event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:40
S19	399	(@ad<="20010404" or @rlad<="20010404") and ((synchroni\$6 near5 (message event)) same (receipt and transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:40
S20	175	(@ad<="20010404" or @rlad<="20010404") and ((asses\$4 pars\$4 evaluat\$4) near6 (receipt and transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:40
S21	38	(@ad<="20010404" or @rlad<="20010404") and (rule-based same script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:40
S22	1718	(@ad<="20010404" or @rlad<="20010404") and (synchronization adj2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:00
S23	1034	(S18 or S19 or S22 or S20 or S21) and ((node station user machine) same (test synchroniz\$5 ((process application) near4 link\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:00
S24	17	S23 and ((integrated distributed regressive) near5 test) and ((multi multiple plurality number) adj2 (user station node machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:42
S25	3	(synchroni\$5 near4 distributed near8 test\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:44
S26	1	(synchroni\$5 near4 distributed near8 test\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:53
S27	3	Timbadia.in. and test and synchroni\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:57

S28	16	((synchroni\$5 and test\$5) same (output result analy\$5 pars\$4 assess\$4 validat\$4)) and ((distributed multi-station multi-user) near6 application) and (rule near8 script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:59
S29	4	(S18 or S19 or S22 or S20 or S21) and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:00
S30	12	S28 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:55
S31	1	((synchroni\$5 distributed) adj5 test) same (multi-process multi-application multi-station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:56
S32	0	((synchroni\$5 coordinated) near8 (distributed adj3 test)) and (multi-station multi-user multi-application multi-process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:58
S33	1	((synchroni\$5 coordinated) same (test)) and ((test near8 distributed) same (multi-station multi-user multi-application multi-process))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:00
S34	29	((synchroni\$5 coordinated regression) same (test)) and (test same (multi-station multi-user multi-application multi-process))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:00
S35	20	(@ad<="20010404" or @rlad<="20010404") and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:29
S36	10	("6446120").URPN.	USPAT	OR	ON	2005/06/21 17:06
S37	5	S36 and (test.ab. or test.clm.)	USPAT	OR	ON	2005/06/21 17:06
S38	10	("20020144187" "20030078678" "6249886" "6269330" "6304982" "6446120" "6457143" "6490690" "6510402" "6565609").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/21 17:23
S39	7	Rockwell.as. and Maturana.in.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/21 17:26

S40	0	(script same rule and test) same ((evaluat\$4 and generat\$4) near8 ((result output) same (resend transmit\$3 rout\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:29
S41	0	(script same rule same test) and ((evaluat\$4 and generat\$4) near8 ((result output) same (resend transmit\$3 rout\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:29
S42	17	(script same rule same test) and ((evaluat\$4 pars\$4 generat\$4) same ((result output) same (resend transmit\$3 rout\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:29
S43	12	(@ad<="20010404" or @rlad<="20010404") and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:30
S44	16	(US-20020013149-\$ or US-20020028430-\$ or US-20030074248-\$ or US-20030177187-\$).did. or (US-5862319-\$ or US-5943640-\$ or US-6249886-\$ or US-6269330-\$ or US-6304982-\$ or US-6446120-\$ or US-6459944-\$ or US-6502102-\$ or US-6510402-\$ or US-6697967-\$ or US-6775824-\$ or US-6859922-\$).did.	US-PGPUB; USPAT	OR	ON	2005/06/22 09:39
S45	73	((result output) near8 (based pars\$4 analyz\$4 assess\$4 eval\$6)) and ((integrated regressive distributed) near4 test) and ((multi adj (machine user node station computer)) or (multi-node multi-station multi-user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 09:44
S46	2636	(@ad<="20010404" or @rlad<="20010404") and ((synchroni\$6 near5 (message event)) same ((receiv\$5 or receipt) same (retransmi\$6 or transmi\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:32
S47	61	(@ad<="20010404" or @rlad<="20010404") and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:27

S48	0	S47 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 09:44
S49	18	S46 and ((integrated regressive distributed) near4 test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 09:45
S50	40	S47 not Ginter.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 09:55
S52	30	S50 and ((multi adj (station machine)) or (multi-station multi-user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:19
S53	21	S52 not (Tseng.in. or CIMM.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:06
S54	2	"6507923".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:06
S55	15	S52 and synchroni\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:06
S56	7	S55 not (Tseng.in. or CIMM.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:06
S57	2	("6754885").URPN.	USPAT	OR	ON	2005/06/22 10:14

S59	5	S58 and ((multi adj (station machine)) or (multi-station multi-user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:40
S60	30	("5517655").URPN.	USPAT	OR	ON	2005/06/22 10:25
S61	16	((model\$4 "case tool") same ((specification metadata rule) near3 (script xml))) and ("Rational Rose" UML)	USPAT	OR	ON	2005/06/22 10:27
S62	13	(@ad<="20010404" or @rlad<="20010404") and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:27
S63	0	S62 and ((multi adj (station machine)) or (multi-station multi-user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:29
S64	3131	((((integrated distributed synchroni\$6) near8 test).as. or (Roadrunner (test script))) and ((multi adj (station machine)) or (multi-station multi-user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:32
S65	37	(@ad<="20010404" or @rlad<="20010404") and S64 and (test adj script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:40
S66	22	S65 and test.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:38
S67	2	Jupiter.as. and test.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:39
S68	0	Roadrunner.as. and test.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:48
S69	20	Mercury.as. and test.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:39

S70	8	(@ad<="20010404" or @rlad<="20010404") and S69 and (test adj script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:49
S71	4	S70 and ((multi adj (station machine)) or (multi-station multi-user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:50
S72	1	("6754701").URPN.	USPAT	OR	ON	2005/06/22 11:42
S73	0	Loadrunner.as. and test.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:49
S74	0	Winrunner.as. and test.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:49
S75	20	Mercury.as. and test.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:49
S76	8	(@ad<="20010404" or @rlad<="20010404") and S75 and (test adj script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:49
S77	4	S76 and ((multi adj (station machine)) or (multi-station multi-user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:50

S78	28	(US-20020013149-\$ or US-20020028430-\$ or US-20030074248-\$ or US-20030177187-\$).did. or (US-5862319-\$ or US-5943640-\$ or US-6249886-\$ or US-6269330-\$ or US-6304982-\$ or US-6446120-\$ or US-6459944-\$ or US-6502102-\$ or US-6510402-\$ or US-6697967-\$ or US-6775824-\$ or US-6859922-\$ or US-6907546-\$ or US-6507923-\$ or US-6701514-\$ or US-6751583-\$ or US-5457797-\$ or US-6788980-\$ or US-4910691-\$ or US-6754701-\$ or US-6567767-\$ or US-6560564-\$ or US-6477483-\$ or US-5974572-\$).did.	US-PGPUB; USPAT	OR	ON	2005/06/22 15:05
S79	0	S78 and (regressive adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:38
S80	0	S78 and (regressive near4 test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:38
S81	4	test.ab. and (regressive near4 test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:39
S82	364	test.ab. and (regressi\$4 near4 test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:39
S83	3	(@ad<="20010404" or @rlad<="20010404") and S82 and (rule same script) and (multi adj (machine user station node agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:41
S84	5	S78 and (switches and Javascript)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:05